

Project: Courthouse Steps Band



FABRICS are from the Sew & Sew collection by Chloe's Closet for Moda Fabrics (modafabrics.com).



## Project: Courthouse Steps Band

#### Materials

#### FOR ONE PILLOWCASE

- ½ yard total assorted prints (blocks for band)
- <sup>1</sup>/<sub>3</sub> yard print No. 1 (band)
- 78 yard print No. 2 (pillowcase body)

Finished pillowcase: 30×20" (fits a standard-size bed pillow)

Yardages and cutting instructions are based on 42" of usable fabric width.

Measurements include ¼" seam allowances for piecing strips and ½" seam allowances for pillowcase construction. Sew with right sides together unless otherwise stated.

#### **Cut Fabrics**

Each block in the band is composed of four pieces each of two assorted prints and a square from a third print. To achieve a similar look, refer to the **Block Assembly Diagram** before cutting pieces and assembling the blocks.

#### From assorted prints, cut:

- 16-11/2×51/2" strips
- 32—1½×3½" strips
- 16—1**½**" squares
- 8—1½" center squares

#### From print No. 1, cut:

■ 1-51/2×401/2" strip

#### From print No. 2, cut:

■ 1—25¾×41" rectangle

#### Assemble Blocks

Use a  $\frac{1}{4}$ " seam allowance for the following steps.

1. For one block, gather one 1½" center square, two 1½" squares and two 1½×3½" strips that match, and two 1½×3½" strips and two 1½×5½" strips that match.

- 2. Sew together 1½" center square and remaining 1½" squares (Diagram 1). Press seams away from center square.
- 3. Referring to Block Assembly
  Diagram, add rectangles
  according to color. Press seams
  away from center to make a
  block. The block should be
  5½" square including seam
  allowances.
- **4.** Repeat steps 1-3 to make eight blocks total.

#### Assemble Band

Use a ¼" seam allowance for the following steps.

- 1. Join blocks in a row (Band Assembly Diagram). Press seams in one direction. The row should be 5½×40½" including seam allowances.
- 2. Sew together print 5½×40½" strip and the block row.
- Join short edges of Step 2 unit to make a loop. Fold loop in half with wrong side inside; press to make pillowcase band.

### Assemble Pillowcase


- 1. Fold print 25¾×41" rectangle in half to form a 25¾×20½" rectangle. Using a ½" seam allowance, sew together long edges and one set of short edges to make the pillowcase body. Turn right side out and press flat.
- 2. Matching raw edges and seams, slide pillowcase band over pillowcase body with pieced side of band facing pillowcase body (Diagram 2); pin. Using a 1/4"

seam allowance, sew together through all layers.


 Press pillowcase band open, pressing seam toward pillowcase body. Topstitch ⅓" from band edge to secure seam allowance and complete pillowcase (Diagram 3).




# Project: Courthouse Steps Band









BAND ASSEMBLY DIAGRAM



DIAGRAM 2




DIAGRAM 3